

UNIFIVE

Safety , Efficient & Earth friendly

Products Catalogue



*Switching AC Adaptor
& Switching Power Supply*



- Ever smaller, ever more efficient.
- Pursuing "usability" before miniaturization.
- High-precision power supply creating steady power provision.
 - ◆ Steadily supplying various kinds of products.
 - ◆ Imaginative technology and product development.
 - ◆ Globally expanding sales network.
- Technology built upon strict quality standards and trust.

Unifive Technology

Unifive specialized in Switching Power Supply. Our company had set up since 1989 in Tokyo, nowadays as a well-known ac adapter supplier; we are offering high quality - products and the best service around the world. Unifive first consideration of company policy is to work on earth environmental protection; therefore all of our ac dc adapters are designed for low-environment contamination, providing customer safer and durable Switching Power Supplies products.

Quality Assurance

ISO9001:2008
ISO14001:2004
SONY GREEN PARTNER



Product List

I.T.E AC/DC Adaptor **P. 2~10**

Best power solution for Information Technology & Audio Video products for LCD monitor, Hi-Fi stereo, Network Router & Modem, etc.

Semi Switching AC/DC Adaptor **P. 11**

Low cost linear adaptor replacement solution for Cordless Phone, Beauty Hair Trimmer & Shaver, etc.

Medical use AC/DC Adaptor **P. 12**

State of art technology combines quality for medical equipment for Personal Care Equipment, Blood Pressure Machine, etc.

DECT Telephone & VOIP AC/DC Adaptor **P. 13**

Cost efficiency for all sort DECT & VOIP phone for Digital Enhanced Cordless Phone, Internet & Network Phone etc.

AC Pin Interchangeable AC/DC Adaptor **P. 14**

Traveling around the world with one adaptor for Digital Camera, Shaver, Weighting Scale, WLAN Device, etc.

LED Driver **P. 15~17**

Special Design for most LED products

Open Frame Switching Power Supply **P. 18~22**

Power integrate solution for most products for External Hard Disk, Digital Cable TV Tuner, etc.

Car Charger **P.23**

For Various application,for Mobile phone, iPod / iphone,computer,etc.

USB AC/DC Adaptor **P.24**

For all USB application use such as i-Pod, I-phone series , MP3, MP4 and PSP etc.

DC Plug Type **P.25**

5W Series Wall Mount



UCB
56.5*49.6*16



UPC
45*47*16

Model Series	UCB105		UCB305		UPC105/305	
AC Input Rating	90V~132V		90V~264V		90V~132V	90V~264V
DC Output Rating	3.0~6.0V / 1.2A * (5W Max) 6.1~8.0V / 0.65A* (5W Max) 8.1~12V / 0.4A* (5W Max)		5V / 0.5A 5V / 1.0A		4.2V / 0.7A 5V / 0.6A 5.3V / 0.8A 5.6V / 0.55A	5.6V / 0.6A 6V / 0.6A 8.4V / 0.45A 12.6V / 0.2A
Safety						

Please go to the website for the details: <http://www.unifive.com>

6W Series Wall Mount



UN / UNY
45.5*33*23.5
50.2*34*27.8



UNL/ UNZ
46*32.4*28.5
48*36*32.3



UNE/UNR
46*34*24
47.8*36*27.3



UNK
49.2*46.5*31
49*47.8*33.95

Model Series	UN105	UN305	UNE305	UNR305	UNY305
	UNL105	UNL305		UNK305	UNZ305
AC Input Rating	90V~132V		90V~264V		
DC Output Rating	3V / 1.5A 3.3V / 1.5A 4.2V / 0.7A* 5V / 0.5A*	5V / 1.0A 5.6V / 0.5A* 5.6V / 0.6A* 6V / 0.5A*	6V / 1.0A 7.5V / 0.8A* 8.5V / 0.5A* 8.5V / 0.7A*	8.6V / 0.7A* 9V / 0.5A* 9.6V / 0.2A* 12V / 0.5A*	
Safety					

Models marked "*" can support additional constant current function.

Please go to the website for the details: <http://www.unifive.com>

5W-6W Series For Portable Switching AC/DC Adaptor



UC / UCY
45.8*33.3*25.4



UCL/ UCZ
46*32.4*28.5
48*36*32.3



ECE/UCR
46*34*24
47.8*36*27.3



UCK
49.2*46.5*31
49*47.8*33.95

Model Series	UC105	UC305		UCE305	UCR305	UCY305
	UCL105	UCL305			UCK305	UCZ305
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 1.0A 3V / 1.2A 3.3V / 1.2A 4.2V / 0.7A	5V / 0.5A 5V / 0.8A 5V / 1A 5V / 1.2A	5.6V / 0.5A 5.6V / 0.6A 6V / 0.5A 6V / 1.0A 7.5V / 0.8A	8.5V / 0.5A 8.5V / 0.7A 8.6V / 0.6A 9V / 0.5A 9.6V / 0.2A	12V / 0.25A 12V / 0.5A 13V / 0.45A 15V / 0.4A 18V / 0.3A	
Safety						
Please go to the website for the details: http://www.unifive.com						

8W Series Portable Switching AC/DC Adaptor



UC/UCY
60*44*26.5



ECE/UCR
60.4*44*26.5



UCA
60.4*44*26.5



UCK
60.4*44*26.5

Model Series	UC108	UC308		UCE/UCR/UCA/UCY/UCK308	
AC Input Rating	90V~132V		90V~264V		
DC Output Rating	3.3V / 1.6A 5V / 1.6A	5.3V / 1.6A 6V / 1.3A	7.5V / 1.1A 9V / 1.0A	10.5V / 0.8A 12V / 0.7A	15V / 0.6A
Safety					
Please go to the website for the details: http://www.unifive.com					

12W Series Wall Mount



UN / UNY
45.5*33*23.5
45.8*33.3*25.4



UNL/ UNZ
46*32.4*28.5
48*36*27.3



UNE/UNR
46*34*24
47.8*36*27.3



UNK
49.2*46.5*31
49*47.8*33.95

Model Series	UN110	UN310	UNE310	UNR310	UNY310
	UNL110	UNL310		UNK310	UNZ310
AC Input Rating	90V~132V		90V~264V		
DC Output Rating	3.3V / 2.0A 4.5V / 1.6A 5V / 1.2A		5V / 1.5A 5.3V / 1.5A 5V / 2.0A 6V / 1.8A	7.5V / 1.5A 9V / 1.3A 12V / 0.8A	12V / 1.0A 15V / 0.8A 24V / 0.5A
Safety					

Please go to the website for the details: <http://www.unifive.com>



US/USY
60*44*26.5
60*44*30



USE/USR
60.4*44*26.5
60.5*44.4*29.8



USK
60.4*44*26.5
60.5*49.3*29.8



USA
60.4*44*26.5



USM
60.4*44*26.5
60.4*43.5*26.5



UCB
55*49.6*24



UU
72.8*38.8*33.6

Model Series	US10	US30	USY30	USE30	USR30	USK30	USA30	USM30	
AC Input Rating	90V~132V		90V~264V						
DC Output Rating	3V / 2.0A* 3.3V / 2.0A 5V / 2.0A* 5.5V / 2.0A*		6V / 1.8A(only"CB,CCC,PSE,UL") 7.5V / 1.0A 7.5V / 1.6A* 9V / 1.3A*			11V / 1.0A 12V / 1.0A 12.6V / 0.6A* 13V / 0.9A		14.2V / 0.27A 15V / 0.8A* 18V / 0.65A	
Safety									
The CB meets both IEC61558 & IEC60950 standards									

Please go to the website for the details: <http://www.unifive.com>

Model Series	UCB112	UCB312	UU312
AC Input Rating	90V~132V		90V~264V
DC Output Rating	3V / 2.0A * 3.3V / 2.0A * 5V / 2.0A *		5.5V / 2.0A 6V / 2.0A 7V / 1.4A
Safety			

Please go to the website for the details: <http://www.unifive.com>

I.T.E AC/DC Adaptor



US/USY ▼

64*50*26.5
63.9*49.5*29.5

USL/USZ ▼

64*50*28.3
64*50*32

USE/USR/USF ▼

64*50*26.5
64.5*50.2*29.8

USK

64.5*50.2*29.8

USA

64*55*27

UV ▼

68.1*28.1*50.8

UVE ▼

68.1*28.1*50.8

12W Series Wall Mount

Model Series	US112	UV112	US312	UV312	USY312	USR/USK312	USA312	USE312	UVE312
	USL112		USL312		USZ312	USF312			
AC Input Rating	90V~132V			90V~264V					
DC Output Rating	3V / 2.0A 3.3V / 2.0A 5V / 2.0A		5V / 2.3A 5.5V / 2.0A 6V / 2.0A		7V / 1.4A 7V / 1.6A 7.5V / 1.6A		9V / 1.3A 12V / 1.0A 15V / 0.8A		24V / 0.5A
Safety									
	The CB meets both IEC60065 & IEC60950 standards								
	The mark "▼" is not available for IEC60065								
Please go to the website for the details: http://www.unifive.com									

15W Series Wall Mount

Model Series	US115	UV115	US315	UV315	USY315	USR/USK315	USA315	USE315	UVE315
	USL115		USL315		USZ315	USF315			
AC Input Rating	90V~132V			90V~264V					
DC Output Rating	3V / 2.5A 3.3V / 2.5A		5V / 2.5A 6V / 2.3A		7.5V / 2.0A 9V / 1.6A		10V / 1.5A 12V / 1.25A		15V / 1.0A 24V / 0.65 48V/0.3A ▼
Safety									
	The CB meets both IEC60065 & IEC60950 standards								
	The mark "▼" is not available for IEC60065								
Please go to the website for the details: http://www.unifive.com									

18W Series Wall Mount

Model Series	US118	UV118	US318	UV318	USY318	USR/USK318	USA318	USE318	UVE318
	USL118		USL318		USZ318	USF318			
AC Input Rating	90V~132V			90V~264V					
DC Output Rating	3V / 3.0A 3.3V / 3.0A		5V / 2.6A 5V / 3.0A		6V / 2.8A 7V / 2.5A		9V / 2.0A 10V / 1.8A		12V / 1.5A 15V / 1.2A 24V / 0.75A 48V / 0.4A # ▼
Safety									
	The CB meets both IEC60065 & IEC60950 standards								
	The mark "▼" is not available for IEC60065								
Models marked "#" have not been PSE certified									
Please go to the website for the details: http://www.unifive.com									



UI / UIA
68.2*49.8*26.3 (IEC 320 C8)
75*50.6*29.8



UIT
68.2*49.8*26.3 (IEC 320 C6)
75*50.6*29.8

12W Series Desktop

Model Series	UIA112		UIA312		UIT312	
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 2.0A 3.3V / 2.0A* 5V / 2.0A*	5V / 2.3A 5.5V / 2.0A 6V / 2.0A	7V / 1.4A 7V / 1.6A 7.5V / 1.6A	9V / 1.3A 12V / 1.0A 15V / 0.8A	24V / 0.5A	
Safety						
	The CB meets both IEC60065 & IEC60950 standards					
Please go to the website for the details: http://www.unifive.com						

15W Series Desktop

Model Series	UI115		UI315		UIT315	
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 2.5A 3.3V / 2.5A	5V / 2.5A 6V / 2.3A	7.5V / 2.0A 9V / 1.6A	10V / 1.5A 12V / 1.25A*	15V / 1.0A* 24V / 0.65A	48V / 0.3A # ▼
Safety						
	The CB meets both IEC60065 & IEC60950 standards					
	The mark "▼" is not available for IEC60065 Models marked "#" have not been PSE certified					
Please go to the website for the details: http://www.unifive.com						

18W Series Desktop

Model Series	UI118		UI318		UIT318	
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 3.0A 3.3V / 3.0A	5V / 2.6A* 5V / 3.0A*	6V / 2.8A 7V / 2.5A	9V / 2.0A 10V / 1.8A	12V / 1.5A 15V / 1.2A	24V/0.75A 48V/ 0.4A # ▼
Safety						
	The CB meets both IEC60065 & IEC60950 standards					
The mark "▼" is not available for IEC60065						
Models marked "#" have not been PSE certified						
Please go to the website for the details: http://www.unifive.com						

I.T.E AC/DC Adaptor



UW / UWA

105.2*44.7*28.8



USL

93*50*33



USE

93*50*33



UU

72.7*35.7*53



UUE

72.7*35.7*53



UUK

72.7*35.7*53



UV

72.8*38.8*48

24W Series Wall Mount

Model Series	USL124	USL324	USE324
AC Input Rating	90V~132V	90V~264V	
DC Output Rating	5V / 3.0A 5V / 4.0A	12V / 1.5A 12V / 2.0A	12V / 2.5A
Safety			

Model Series	UU324	UV324	UUE324	UUK324
AC Input Rating	90V~264V			
DC Output Rating	3.3V / 3.0A 5V / 2.0A	5V / 3.0A 12V / 1.25A	12V / 1.5A 12V / 2.0A	24V / 1.0A
Safety				(Only 12V 2A)

Please go to the website for the details: <http://www.unifive.com>

36W Series Wall Mount

Model Series	UU336	UUE336 UUK336	UW336	UWA336
AC Input Rating	90V~264V			
DC Output Rating		12V / 3.0A 15V / 2.4A	16V / 2.2A 18V / 2.0A	24V / 1.5A 35V / 1.0A #
Safety				
Models marked "#" have not been PSE certified				

Additional constant current output function is available to UW336.

Please go to the website for the details: <http://www.unifive.com>

45W Series Wall Mount

Model Series	UW345			UWA345	
AC Input Rating	90V~264V				
DC Output Rating	12V / 3.8A 14V / 3.21A	15V / 3.0A 16V / 2.8A	18V / 2.5A 19V / 2.4A	19.5V / 2.3A 24V / 1.9A	35V / 1.3A #
Safety					
Models marked "#" have not been PSE certified					

Additional constant current output function is available to UW345.

Please go to the website for the details: <http://www.unifive.com>

I.T.E AC/DC Adaptor



UIA / UI

95.9*43.8*28.5 (IEC 320 C8)
98.8*46.8*32.1



UIB / UIT

95.9*43.8*28.5 (IEC 320 C6)
98.8*46.8*32.1



UEC 45W

128.3*51.5*32.3 (IEC 320 C14)

24W Series Desktop

Model Series	UIA324			UIB324	
AC Input Rating	90V~264V				
DC Output Rating	3V / 4.0A 3.3V / 4.0A 5V / 4.0A	6V / 3.0A 6V / 3.8A 7V / 3.4A	9V / 2.6A 10V / 2.4A 12V / 2.0A	13.5V / 1.8A 15V / 1.6A 18V / 1.3A	24V / 1.0A
Safety					
The CB meets both IEC60065 & IEC60950 standards					
Please go to the website for the details: http://www.unifive.com					

36W Series Desktop

Model Series	UIA336 / UI336		UIB336	UIT336
AC Input Rating	90V~264V			
DC Output Rating	12V / 3.0A 15V / 2.4A	16V / 2.2A 18V / 2.0A	24V / 1.5A 35V / 1.0A #	48V/0.75A
Safety				
Models marked "#" have not been PSE certified				
Additional constant current output function is available to UI336 and UIT336.				
Please go to the website for the details: http://www.unifive.com				

45W Series Desktop

Model Series	UIA345 / UI345		UIB345	UIT345
AC Input Rating	90V~264V			
DC Output Rating	12V / 3.8A 14V / 3.21A	15V / 3.0A 16V / 2.8A	18V / 2.5A 19V / 2.4A	19.5V / 2.3A 24V / 1.9A 35V / 1.3A # 48V / 0.9A
Safety				
Models marked "#" have not been PSE certified				
Additional constant current output function is available to UI345 and UIT345.				

Model Series	UEC345-4804		UEC345-4808		
AC Input Rating	90V~264V				
DC Output Rating	48V / 0.4A		48V / 0.875A		
Safety					
Please go to the website for the details: http://www.unifive.com					


60W Series Desktop



UEA (IEC 320 C8)
113.5*54*36.3



UEB (IEC 320 C6)



UEC (IEC 320 C14)

Model Series	UEA360		UEB360		UEC360
AC Input Rating	90V~264V				
DC Output Rating	6V / 5.0A 8V / 5.0A	12V / 4.0A 12V / 4.2A	12V / 5.0A 15V / 4.0A	18V / 3.33A 24V / 2.5A	27V / 2.2A
Safety					
Please go to the website for the details: http://www.unifive.com					

70W Series Desktop



UEA (IEC 320 C8)
136.5*57*30.5



UEB (IEC 320 C6)

Model Series	UEA370		UEB370
AC Input Rating	90V~264V		
DC Output Rating	12V / 6.0A 15V / 4.6A	18V / 4.0A 19V / 3.8A	24V / 3.0A
Safety			
Please go to the website for the details: http://www.unifive.com			

90W Series Desktop



UEA (IEC 320 C8)
136.5*57*30.5



UEB (IEC 320 C6)

Model Series	UEA390		UEB390
AC Input Rating	90V~264V		
DC Output Rating	12V / 7.5A 16V / 5.5A	19V / 4.73A 20V / 4.5A	24V / 3.75A # 48V/1.9A #
Safety			
Models marked "#" have not been PSE certified			
Please go to the website for the details: http://www.unifive.com			


Dual Output Switching Power Adaptor



UEA (IEC 320 C8)
128.3*51.5*32.3



UEB (IEC 320 C6)



UEC (IEC 320 C14)

25W Series Dual Output

Model Series	UEA125D	UEA325D	UEB325D	UEC325D
AC Input Rating	90V ~ 132V	90V ~ 264V		
DC Output Rating	A 5V / 1.5A 12V / 1.5A	B 5V / 1.5A 12V / 1.0A	C 5V / 2.0A 12V / 1.5A	D 5V / 2.0A 12V / 1.0A
Safety	 CB (The CB meets both IEC60065 & IEC60950 standards)	 Only 5V/1.5A , 12V/1.5A CB (The CB meets both IEC60065 & IEC60950 standards)		
Please go to the website for the details: http://www.unifive.com				

45W Series Dual Output

Model Series	UEA145D	UEA345D	UEB345D	UEC345D
AC Input Rating	90V ~ 132V	90V ~ 264V		
DC Output Rating	A 5V / 2.5A 12V / 2.5A	B 5V / 3.0A 12V / 2.0A	C 5V / 2.0A 12V / 3.0A	
Safety				
Please go to the website for the details: http://www.unifive.com				

Semi Switching AC/DC Adaptor (Low Noise)



UD/UDY
60*44*26.5
60*44*30



UDE/UDR
60.4*44*26.5
60.5*44.4*29.8



UDK
60.4*44*26.5
60.5*44*29.8



UDA
60.4*44*26.5

10W Series Wall Mount

Model Series	UD1010	UD1210	UDE2210 UDR2210	UDY2210	UDE2310 UDK2310	UDA2410
AC Input Rating	100V	120V	220V		230V	240V
DC Output Rating	5V / 2.0A 6.5V / 1.5A	7.5V / 0.7A 7.5V / 1.0A	9V / 1.0A 12V / 1.0A	13.5V / 1.0A 18V / 0.6A	24V / 0.5A	
Safety						
Please go to the website for the details: http://www.unifive.com						

15W Series Wall Mount

Model Series	UD1015	UD1215	UDE2215 UDR2215	UDY2215	UDE2315 UDK2315	UDA2415
AC Input Rating	100V	120V	220V		230V	240V
DC Output Rating	12V / 1.2A		12V / 1.25A	24V / 0.6A		
Safety						
Please go to the website for the details: http://www.unifive.com						

18W Series Wall Mount

Model Series	UD1018	UD1218	UDE2218 UDR2218	UDY2218	UDE2318 UDK2318	UDA2418
AC Input Rating	100V	120V	220V		230V	240V
DC Output Rating	12V / 1.5A					
Safety						
Please go to the website for the details: http://www.unifive.com						

Medical Use AC/DC Adaptor(UM Series)



UM

64*50*26.5
63.9*49.5*29.5



UML

64*50*28.3
64*50*32



UME/UMR

64*50*26.5
64.5*50.2*29.8



UMK

64.5*50.2*29.8



UMA

64*55*27



UMI

68.2*49.8*26.3 (IEC 320 C8)

12W Series Wall Mount

Model Series	UM112	UMI 112	UML312	UME312	UMK312	UM312
	UML112			UMR312	UMA312	UMI 312
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 2.0A 3.3V / 2.0A* 5V / 2.0A*		5V / 2.3A* 5.5V / 2.0A 6V / 2.0A		7V / 1.4A 7V / 1.6A 7.5V / 1.6A*	
Safety						
CB IEC60601						
Please go to the website for the details: http://www.unifive.com						

15W Series Wall Mount

Model Series	UM115	UMI 115	UML315	UME315	UMK315	UM315
	UML115			UMR315	UMA315	UMI 315
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 2.5A 3.3V / 2.5A*		5V / 2.5A* 6V / 2.3A		7.5V / 2.0A * 9V / 1.6A *	
Safety						
CB IEC60601						
Please go to the website for the details: http://www.unifive.com						

18W Series Wall Mount

Model Series	UM118	UMI 118	UML318	UME318	UMK318	UM318
	UML118			UMR318	UMA318	UMI 318
AC Input Rating	90V~132V		90V~264V			
DC Output Rating	3V / 3.0A* 3.3V / 3.0A		5V / 2.6A* 5V / 3.0A*		6V / 2.8A 7V / 2.5A*	
Safety						
CB IEC60601						
Please go to the website for the details: http://www.unifive.com						

DECT Telephone & VOIP AC/DC Adaptor(UT Series)



UT/UTY

64*50*26.5
63.9*49.5*29.5



UTL/UTZ

64*50*28.3
64*50*32



UTE/UTR/UTF

64*50*26.5
64.5*50.2*29.8



UTK

64.5*50.2*29.8



UTA

64*55*27



UTI

68.2*49.8*26.3 (IEC 320 C8)

12W & 15W & 18W Series Wall Mount

Model Series	UT112	UTI112	UT312	UTI312	UTE312	UTR/UTK312	UTA312
	UTL112		UTL312			UTF312	
AC Input Rating	90V~132V		90V~264V				
DC Output Rating	3V / 2.0A 5V / 2.0A 5V / 2.3A		5.5V / 2.0A 6V / 2.0A 7V / 1.4A	7V / 1.6A 7.5V / 1.6A 8V / 1.0A	9V / 1.3A 12V / 1.0A*	24V / 0.5A	

Model Series	UT115	UTI115	UT315	UTI315	UTE315	UTR/UTK315	UTA315
	UTL115		UTL315			UTF315	
AC Input Rating	90V~132V		90V~264V				
DC Output Rating	3V / 2.5A 3.3V / 2.5A 5V / 2.5A		6V / 2.3A 7.5V / 2.0A 9V / 1.6A	10V / 1.5A 12V / 1.25A* 15V / 1.0A	24V / 0.65A 48V / 0.3A #		

Model Series	UT118	UTI118	UT318	UTI318	UTE318	UTR/UTK318	UTA318
	UTL118		UTL318			UTF318	
AC Input Rating	90V~132V		90V~264V				
DC Output Rating	3V / 3.0A 3.3V / 3.0A 5V / 2.6A		5V / 3.0A 6V / 2.8A 7V / 2.5A	9V / 2.0A 10V / 1.8A 12V / 1.5A *	15V / 1.2A 24V / 0.75A 48V / 0.4A #		
Safety							
Models marked "#" have not been PSE certified							

Please go to the website for the details: <http://www.unifive.com>

24W Series



UTL

93*50*33



UTE

93*50*33



UTI

95.9*43.8*28.5 (IEC 320 C8)

Model Series	UTL124	UTL324	UTE324	UTI324
AC Input Rating	90V~132V		90V~264V	
DC Output Rating	12V / 1.5A		12V / 2.0A	
Safety				

Please go to the website for the details: <http://www.unifive.com>

AC Pin Interchangeable AC/DC Adaptor



UUX312
72.8*38.8*33.6



UVX324
72.8*38.8*48



UUX324
UUX336
72.8*38.8*61.5



UUA A



UUAL



UUA K





UUA Z










UUA E/UUA R



12W Series

Model Series	UUX312				
AC Input Rating	90V~264V				
DC Output Rating	3V / 2.0A 3.3V / 2.0A 5V / 2.0A	5V / 2.3A 5.5V / 2.0A 6V / 2.0A	7V / 1.4A 7V / 1.6A 7.5V / 1.6A	9V / 1.3A 12V / 1.0A 15V / 0.8A	24V / 0.5A
Safety	 				
Please go to the website for the details: http://www.unifive.com					

24W Series

Model Series	UUX324		UVX324		
AC Input Rating	90V~264V				
DC Output Rating	3.3V / 3.0A 5V / 2.0A	5V / 3.0A 12V / 1.25A	12V / 1.5A 12V / 2.0A	24V / 1.0A	
Safety	   		  		
Please go to the website for the details: http://www.unifive.com					

36W Series

Model Series	UUX336			
AC Input Rating	90V~264V			
DC Output Rating	12V / 3.0A 15V / 2.4A	16V / 2.2A 18V / 2.0A	24V / 1.5A 35V / 1.0A #	
Safety	 			
Models marked "#" have not been PSE certified				
Please go to the website for the details: http://www.unifive.com				

REMARK: 1.UUX:Can be used with four directions

6W Series Wall Mount



UC/UCY
45.8*33.3*25.4
50.2*34*27.8



UCL/UCZ
46*32.4*28.5
48*36*32.3



UCE/UCR
46*34*24
47.8*36*27.3



UCK
49.2*46.5*31
49*47.8*33.95



UOL
50*18*22

Model Series	UC305	UCE305	UCR305	UCY305	UOL306
	UCL305		UCK305	UCZ305	
AC Input Rating	90V~264V				
DC Output Rating	8V / 0.5A	12V / 0.5A*	18V / 0.2A	8V / 0.5A	9V / 0.6A
	8V / 0.6A	15V / 0.2A	18V / 0.3A*	8V / 0.6A	12V / 0.3A
	8V / 0.7A	15V / 0.3A	22V / 0.1A	8V / 0.7A	12V / 0.4A
	12V / 0.3A	15V / 0.4A*	22V / 0.2A	9V / 0.3A	15V / 0.3A
	12V / 0.4A	18V / 0.1A	22V / 0.25A	9V / 0.4A	15V / 0.4A
				9V / 0.5A	18V / 0.3A
				18V / 0.35A	
Safety					

Please go to the website for the details: <http://www.unifive.com>

8W Series Wall Mount



UC/UCY
60*44*26.5



UCE/UCR
60.4*44*26.5



UCA
60.4*44*26.5



UCK
60.4*44*26.5



UJC/UJCW
68*33.5*27

Model Series	UC308	UCE308	UCA308	UJC308
	UCY308	UCR308	UCK308	UJCW308
AC Input Rating	90V~264V			
DC Output Rating	8V / 0.8A	11V / 0.8A	15V / 0.5A	18V / 0.5A
	8V / 0.9A	12V / 0.6A	15V / 0.6A	22V / 0.35A
	8V / 1.0A	12V / 0.7A	18V / 0.4A	
Safety				

Please go to the website for the details: <http://www.unifive.com>

15W Series Dimmable & T5&T8 LED Light



UJL/UJLW
75*49*30.8



UOL
251*19.6*14.8

Model Series	UJL115	UJLW115	UOL318
AC Input Rating	90V~132V		90V~264V
DC Output Rating	15V / 0.4A (0.4A MAX)	32V / 0.4A (0.4A MAX)	48V / 0.2A
	22V / 0.4A (0.4A MAX)	42V / 0.3A (0.3A MAX)	52V / 0.35A
Safety			

Please go to the website for the details: <http://www.unifive.com>

15W Series Wall Mount



UKL/UKZ
72.7*35.7*53



UKK
72.7*35.7*53



UKE
72.7*35.7*53

Model Series	UKL315	UKZ315	UKK315	UKE315	
AC Input Rating	90~264V				
DC Output Rating	12V / 0.3A 12V / 0.35A 12V / 0.4A 12V / 0.5A 12V / 0.6A 12V / 0.7A 12V / 0.8A 12V / 0.9A 12V / 1.0A 12V / 1.05A 15V / 0.3A	15V / 0.35A 15V / 0.4A 15V / 0.5A 15V / 0.6A 15V / 0.7A 15V / 0.8A 15V / 0.9A 15V / 1.0A 15V / 1.05A 18V / 0.3A 18V / 0.35A	18V / 0.4A 18V / 0.5A 18V / 0.6A 18V / 0.7A 18V / 0.8A 18V / 0.9A 22V / 0.2A 22V / 0.3A 22V / 0.35A 22V / 0.4A 22V / 0.5A	22V / 0.6A 22V / 0.7A 22V / 0.8A 33V / 0.1A # 33V / 0.2A # 33V / 0.3A # 33V / 0.35A # 33V / 0.4A # 33V / 0.5A # 36V / 0.1A # 36V / 0.2A #	36V / 0.3A # 36V / 0.35A # 36V / 0.4A
Safety					
Models marked "#" have not been PSE certified					

Please go to the website for the details: <http://www.unifive.com>

15W Series Desktop



UJC
100*51*32



UJD
100*51*32

Model Series	UJC315		UJD315	
AC Input Rating	90V~264V			
DC Output Rating	7-12V / 0.3A 7-12V / 0.35A 7-12V / 0.4A 7-12V / 0.5A 7-12V / 0.6A 7-12V / 0.7A 7-12V / 0.8A 7-12V / 0.9A 7-12V / 1.0A 7-12V / 1.05A 8-15V / 0.3A 8-15V / 0.35A	8-15V / 0.4A 8-15V / 0.5A 8-15V / 0.6A 8-15V / 0.7A 8-15V / 0.8A 8-15V / 0.9A 8-15V / 1.0A 8-15V / 1.05A 12-18V / 0.3A 12-18V / 0.35A 12-18V / 0.4A 12-18V / 0.5A	12-18V / 0.6A 12-18V / 0.7A 12-18V / 0.8A 12-18V / 0.9A 15-22V / 0.2A 15-22V / 0.3A 15-22V / 0.35A 15-22V / 0.4A 15-22V / 0.5A 15-22V / 0.6A 15-22V / 0.7A 15-22V / 0.8A	25-33V / 0.1A 25-33V / 0.2A 25-33V / 0.3A 25-33V / 0.35A 25-33V / 0.4A 25-33V / 0.5A 29-36V / 0.1A 29-36V / 0.2A 29-36V / 0.3A 29-36V / 0.35A 29-36V / 0.4A
Safety				

Please go to the website for the details: <http://www.unifive.com>



UJC/UJV/UJCW//UJVV324
128.5*40*26



UJCW/UJVV330
141*41*33

24W & 30W Series

Model Series	UJV324	UJVV324			UJVV330	
AC Input Rating	90V~264V					
DC Output Rating	24V / 0.85A	42V / 0.5A	45V / 0.4A		17V / 1.75A	36V / 1.0A
	42V / 0.3A	42V / 0.6A	45V / 0.5A		25V / 1.05A	42V / 0.7A
	42V / 0.4A	45V / 0.3A	45V / 0.6A		32V / 1.05A	56V / 0.5A
Safety						

Please go to the website for the details: <http://www.unifive.com>

24W & 30W Series

Model Series	UJC324	UJCW324				UJCW330	
AC Input Rating	90V~264V						
DC Output Rating	24V / 0.36A	24V / 0.8A	42V / 0.4A	45V / 0.3A	17V / 1.75A	36V / 1.0A	
	24V / 0.44A	24V / 0.88A	42V / 0.5A	45V / 0.4A	25V / 1.05A	42V / 0.7A	
	24V / 0.72A	42V / 0.3A	45V / 0.5A	45V / 0.5A	32V / 1.05A	56V / 0.5A	
Safety							

Please go to the website for the details: <http://www.unifive.com>

60W Series



UJC
106*54*37.2



UJDW/UJVV
141*41*33

Model Series	UJC360				UJDW360	UJVV360
AC Input Rating	90V~264V					
DC Output Rating	22V / 0.7A	30V / 0.7A	42V / 0.7A	56V / 0.7A	25V / 2.1A 36V / 1.75A 42V / 1.4A 56V / 1.05A	
	22V / 0.8A	30V / 0.8A	42V / 0.8A	56V / 0.8A		
	22V / 0.9A	30V / 0.9A	42V / 0.9A	56V / 0.9A		
	22V / 1.0A	30V / 1.0A	42V / 1.0A	56V / 1.0A		
	22V / 1.1A	30V / 1.1A	42V / 1.1A	56V / 1.05A		
		42V / 0.6A	56V / 0.6A			
Safety						

Please go to the website for the details: <http://www.unifive.com>

80W & 150W Series



UJCW
152*68*39



UJCW
198*68*37.6

Model Series	UJCW380		UJCW3150		
AC Input Rating	90V~264V				
DC Output Rating	21V / 3.7A	36V / 2.2A	24V / 6.25A	42V / 3.57A	54V / 2.78A
	24V / 3.3A	48V / 1.66A	36V / 4.17A	48V / 3.13A	81V / 1.85A
Safety					

Please go to the website for the details: <http://www.unifive.com>

6W Series

Model	UOA305 (IEC 320 C8)	UOB305 (IEC 320 C8)	UOT305 (IEC 320 C6)
Package			
L*W*H(mm)	61*61*15.5	75*34*22.6	75*34*22.6
DC Output Rating	3.6V / 2.0A 5V / 2.0A	3.3V / 1.2A 3.3V / 2.0A	5V / 1.0A 5V / 1.2A
Safety	CB CE C US ONLY " * "	C US CE CB (UOB305-3320 The CB meets both IEC60065 & IEC60950 standards)	

Model	UOP305					
Package						
L*W*H(mm)	55*27.8*18					
DC Output Rating	3.3V / 1.5A 3.3V / 1.6A 3.3V / 2.0A	3.6V / 1.8A 4.2V / 0.7A 5V / 0.5A	5.6V / 0.5A 5V / 1.0A 6V / 0.5A	6V / 1.0A 7.5V / 0.8A 8.5V / 0.5A	9V / 0.5A 9.6V / 0.2A 12V / 0.5A	15V / 0.4A 18V / 0.3A 24V / 0.2A *
Safety	UL1310 ONLY " * " CE					

Please go to the website for the details: <http://www.unifive.com>

12W Series

Model	UOB310			UNB310	
Package					
L*W*H(mm)	60*42.8*20.8			60*42.8*21.3	
DC Output Rating	3V / 2.0A 3.3V / 2.0A	5V / 2.0A 7.5V / 1.3A	9V / 1.1A 12V / 1.0A	15V / 0.7A 18V / 0.6A	24V / 0.5A
Safety	C US CB CE			CE	

Model	UOC312 (IEC 320 C14)				UOF312	
Package						
L*W*H(mm)	75*50*25.6				95*50*18	
DC Output Rating	3V / 2.0A 3.3V / 2.0A 5V / 2.0A*	5V / 2.3A* 5.5V / 2.0A* 6V / 2.0A	7.0V / 1.4A 7.0V / 1.6A 7.5V / 1.6A	8V / 1.0A 9V / 1.3A 10V / 1.1A	12V / 0.8A 12V / 1.0A 15V / 0.8A	24V / 0.5A
Safety	C US CB CE				CE C US ONLY " * "	

Please go to the website for the details: <http://www.unifive.com>

15W & 18W Series

Model	UOC315 (IEC 320 C14)	UOF315	UOB318
Package			
L*W*H(mm)	75*50*25.6	95*50*18	75.2*44.2*26.1 (3V / 4A , 3.3V / 4A : 75.2*44.2*30.6)
DC Output Rating	3V / 2.5A 10V / 1.5A 3.3V / 2.5A 12V / 1.25A 5V / 2.5A 15V / 1.0A 6V / 2.3A 24V / 0.65A 7.5V / 2.0A 48V / 0.3A 9V / 1.6A	3V / 2.5A 9V / 1.6A 3.3V / 2.5A 10V / 1.5A 5V / 2.5A*12V / 1.25A 6V / 2.3A 15V / 1.0A 7.5V / 2.0A 24V / 0.65A	3V / 3.0A 5V / 2.6A 12V / 1.25A* 3.3V / 3.0A* 5V / 3.0A* 12V / 1.5A * 3V / 4.0A 6V / 2.8A 15V / 1.2A 3.3V / 4.0A* 9V / 2.0A 24V / 0.75A Δ
Safety			

Model	UOC318 (IEC 320 C14)	UOF318	UOG318
Package			
L*W*H(mm)	75*50*25.6	95*50*21.5	75*48*26.6
DC Output Rating	3V / 3.0A 9V / 2.0A 3.3V / 3.0A 10V / 1.8A 5V / 2.6A 12V / 1.5A 5V / 3.0A 15V / 1.2A 6V / 2.8A 24V / 0.75A 7V / 2.5A 48V / 0.4A	3V / 3.0A 9V / 2.0A 3.3V / 3.0A 10V / 1.8A 5V / 2.6A* 12V / 1.5A 5V / 3.0A* 15V / 1.2A 6V / 2.8A 24V / 0.75A 7V / 2.5A	3V / 3.0A 5V / 2.6A 12V / 1.5A 3.3V / 3.0A 5V / 3.0A 15V / 1.2A 3V / 4.0A 6V / 2.8A 24V / 0.75A 3.3V / 4.0A 9V / 2.0A
Safety			

Please go to the website for the details: <http://www.unifive.com>





25W Series

Model	UOB325	UOC325 (IEC 320 C14)	UOD325
Package			
L*W*H(mm)	75.2*50*30.6	125.4*61.4*32.5	130.5*25.8*27.1






Model	UOP325	UOA325	
Package			
L*W*H(mm)	98*46*28.6	103*46*32.6	
DC Output Rating	5V / 4.0A 6V / 3.0A	6V / 3.8A 7V / 3.4A	9V / 2.6A 12V / 2.0A 15V / 1.6A 24V / 1.0A
Safety			

Please go to the website for the details: <http://www.unifive.com>

36W Series

Model	UOP336	UOA336	UOC336			
Package						
L*W*H(mm)	98*46*28.6	103*46*32.6	120*40*29.1			
DC Output Rating	12V / 3.0A	15V / 2.4A	16V / 2.2A	18V / 2.0A	24V / 1.5A	35V / 1.0A
Safety						
Please go to the website for the details: http://www.unifive.com						

40W & 45W Series






Model	UOP340	UOP345	UOA345	
Package				
L*W*H(mm)	92.8*63.5*31.1	98*46*28.6	103*46*32.6	
DC Output Rating	3.3V / 5.0A 3.3V / 8.0A 5V / 5.0A 5V / 8.0A	12V / 4.0A 14V / 3.21A 15V / 3.0A	16V / 2.8A 18V / 2.5A 19V / 2.4A	19.5V / 2.3A 24V / 2.0A 35V / 1.3A
Safety				
Please go to the website for the details: http://www.unifive.com				

60W & 80W Series

Model	UOA360	UOP380
Package		
L*W*H(mm)	103*46*32.6	140*80*36.1
DC Output Rating	12V / 5.0A 18V / 3.33A 24V / 2.5A	12V / 6.5A
Safety		
Please go to the website for the details: http://www.unifive.com		



25W Dual Output Series

AC Input Rating 90V~264V

Model	UOB325D		UOP325D		UOA325D	
Package						
L*W*H(mm)	150*25.8*27.6		98*46*28.6		103*46*32.6	
DC Output Rating	A 5V / 1.5A 12V / 1.5A		B 5V / 1.5A 12V / 1.0A		C 5V / 2.0A 12V / 1.5A	
Safety			 (The CB meets both IEC60065 & IEC60950 standards)			






Please go to the website for the details: <http://www.unifive.com>

30W Dual Output Series

Model	UOB130D-0512-A UOB130D-0512-B UOB130D-0512-C		UOB130D-0512-D	UOB330D-0512-A UOB330D-0512-B UOB330D-0512-C		UOB330D-0512-D
AC Input Rating	90V~132V			90V~264V		
Package						
L*W*H(mm)	150*25.8*27.6					
DC Output Rating	A 5V / 1.7A 12V / 1.7A		B 5V / 1.9A 12V / 1.6A		C 5V / 2.5A 12V / 1.3A	
Safety						






Please go to the website for the details: <http://www.unifive.com>

36W Dual Output Series





Model	UOP336D		UOA336D		UOC336D	
Package						
L*W*H(mm)	98*46*28.6		103*46*32.6		120*40*29.1	
DC Output Rating	A 5V / 2.0A 12V / 2.0A		B 5V / 2.5A 12V / 1.5A		C 5V / 2.2A 12V / 2.2A	
Safety	 (The CB meets both IEC60065 & IEC60950 standards)					

Please go to the website for the details: <http://www.unifive.com>

45W Dual Output Series

Model	UOP345D	UOA345D	UOB345D ▼
Package			
L*W*H(mm)	98*46*28.6	103*46*32.6	98*96*27.1
Model	UOC345D ▼		
Package			
L*W*H(mm)	150*60*27.1		
DC Output Rating	A 5V / 2.5A 12V / 2.5A	B 5V / 3.0A 12V / 2.0A	C 5V / 2.0A 12V / 3.0A
Safety	 (The CB meets both IEC60065 & IEC60950 standards)		
	The mark "▼" is not available for IEC60065		
Please go to the website for the details: http://www.unifive.com			

60W & 90W Dual Output Series

Model	UOA360D	UOP390D (With PFC)
Package		
L*W*H(mm)	103*46*32.6	155*100*40
DC Output Rating	A 5V / 2.0A 12V / 4.3A	B 5V / 3.0A 12V / 3.0A
Safety	 (The CB meets both IEC60065 & IEC60950 standards)	
		
Please go to the website for the details: http://www.unifive.com		

5W Series



UDCH305
83*24.8*25.6

Model Series	UDCH305		
DC Input Rating	11V~28V		
DC Output Rating	5.0V / 0.5A	5.0V / 1.0A	12V / 0.5A
Safety	CE		
Please go to the website for the details: http://www.unifive.com			

10W Series



UDCU310
92.6*38.6*20



UDCH310
104*44*27

Model Series	UDCU310	UDCH310		
DC Input Rating	11V~28V			
DC Output Rating	5.0V / 0.5A 5.0V / 1.0A 5.0V / 2.0A	5.0V / 1.0A 5.0V / 2.0A 6.0V / 1.0A	6.0V / 2.0A 9.0V / 0.5A 9.0V / 1.0A	12V / 0.5A 12V / 1.0A
Safety	CE			
Please go to the website for the details: http://www.unifive.com				

36W & 65W Series



UDCH
Acto plug:83*24.8*22.1
Case:76.36*41.96*19

Model Series	UDCH336		UDCH365		
DC Input Rating	11V~28V				
DC Output Rating	5.0V / 6.0A 6.0V / 6.0A 9.0V / 3.0A	12V / 3.0A 15V / 3.0A 16V / 1.58A 24V / 1.58A	15V / 4.06A 16V / 4.06A	19V / 3.42A 20V / 3.25A	24V / 2.7A
Safety	CE				
Please go to the website for the details: http://www.unifive.com					

90W & 120W Series



UDCH
Acto plug:83*24.8*22.1
Case:74.5*49.5*28.5

Model Series	UDCH390		UDCH3120		
DC Input Rating	11V~28V				
DC Output Rating	18V / 5.0A 19V / 4.7A	20V / 4.5A 24V / 3.75A	18V / 6.6A 19V / 6.3A	20V / 6.0A 24V / 5.0A	
Safety	CE				
Please go to the website for the details: http://www.unifive.com					

USB AC/DC Adaptor

5W Series Wall Mount



USB
56.5*49.6*16



UF/UFY
44*30*21



UBL/UBZ
56.5*34*27.5



UBE
56.5*34*27.5

Model Series	USB105	USB305	UF305	UFY305	UBL305	UBZ305	UBE305
AC Input Rating	90V~132V	90V~264V					
DC Output Rating	5V / 0.5A	5V / 1.0A	5V / 0.5A	5V / 1.0A	5V / 1.0A		
Safety							

Please go to the website for the details: <http://www.unifive.com>

10W Series Wall Mount



USB
60*50*26.9



UBL/UBZ
56.5*34*27.5



UBE
56.5*34*27.5

Model Series	USB310(4 Port USB)	UBL310	UBZ310	UBE310
AC Input Rating	90V~264V			
DC Output Rating	5V/2.0A	5V / 2.0A	5V / 2.1A	
Safety				

Please go to the website for the details: <http://www.unifive.com>

5W & 10W Series DC/DC Car Power Adaptor



UDCH305-USB
49.5*24*24





UDCH310-USB
104*44*27

Model Series	UDCH305-USB	UDCH310-USB
DC Input Rating	11V~28V	
DC Output Rating	5V / 0.5A 5V / 1.0A	5.0V / 1.0A 5.0V / 2.0A 5.0V / 2.1A
Safety		

Please go to the website for the details: <http://www.unifive.com>

DC Plug Type



PLUG OUTLING	PLUG NAME	A	B	C	D
		6.5	3.0	8-14	
		5.5	2.5	8-14	
		5.5	2.1	8-14	
		3.8	1.35	8-14	
		3.8	1.1	8-14	
		3.5	1.35	7-14	
		3.5	1.1	7-14	
	EIAJ-1	2.35	0.7	9.5	
	EIAJ-2	4.0	1.7	9.5	
	EIAJ-3	4.75	1.7	9.5	
	EIAJ-4	5.5	3.3	1.0	9.5
	EIAJ-5	6.5	4.3	1.4	9.5

UNIFIVE

Safety , Efficient & Earth friendly



* HONG KONG HEAD OFFICE:

UNIFIVE INTERNATIONAL LIMITED.
Suite 2408, 24/F., Tower 2, Lippo Centre,
89 Queensway, Hong Kong
Tel: +852-8303-2146 Fax: +852-8303-4110
E-mail: sakamaki@unifive.com

* CHINA FACTORY:

UNIFIVE TECHNOLOGY (SHEN ZHEN) CO., LTD.
#E, Da Tian Yang Industrial Zone of Longmen,
Songgang Town, Baoan, Shenzhen, 518105, China.
Tel: +86-755-3387-0193 Fax: +86-755-3387-0191
E-mail: powell@unifive.com.tw
URL: <http://www.unifive-c.com>

* KOREA OFFICE:

UNIFIVE KOREA CO., LTD
#Ba-4116, Chungang Yutong, 1258,
Gurobon-Dong, Guro-Gu, Seoul, 152-721, Korea.
Tel: +822-6679-7134 Fax: +822-6679-7135
E-mail: unifive@paran.com
URL: <http://www.unifive.co.kr>

* JAPAN OFFICE:

UNIFIVE CO.,LTD.
3-33-14 Nakakasai, Edogawa-ku Tokyo Japan 134-0083
Tel: +81-3-5605-3222 Fax: +81-3-5605-3220
E-mail: info@unifive.com
URL: <http://www.unifive.com>

* TAIWAN OFFICE:

UNIFIVE TECHNOLOGY CO., LTD.
4F., No.269, Siang Yang Rd, Feng Yuan Dist, Taichung
City, 420-80, Taiwan (R.O.C.)
Tel: +886-4-2523-0886 Fax: +886-4-2523-0913
E-mail: info@unifive.com.tw
URL: <http://www.unifive.com.tw>

* USA OFFICE:

UNIFIVE CO., LTD.
18022 Cowan, Suite 200, Irvine, CA 92614
Tel: +1-949-260-9602 Fax: +1-949-260-9218
E-mail: info@unifive-us.com
URL: <http://www.unifive-us.com>